



Microbac Laboratories, Inc.

SOUTHERN TESTING & RESEARCH DIVISION
 3809 AIRPORT DRIVE, NW
 WILSON, NC 27896-8649
 (252) 237-4175 (252) 237-9341 (fax)
 www.southerntesting.com

REPORT of ANALYSIS

SAMPLE No.: P6665-001 / AA51247

Date Reported: Tuesday, July 26, 2005

Ray Kong
 California Earth Minerals
 5224 Veronica St.
 Culver City, California 90231

Phone / Fax: 323-294-8500/323-292-9692
 P. O.:

Client Sample Marks: Calcium Monthorillonite Tablet

Sample Collection Date: 7/20/2005 12:00:00 AM	Matrix: Food Supplement
Lab Submittal Date: 7/20/2005 2:00:00 PM	Classification: M

CAT No.	ANALYSES	METHOD	RESULT	UNIT
MS-008-01-S	Coliform Bacteria and E.coli (Petrifilm)	MCB-30	Negative/Negat	CFU/g
MS-034	Salmonella-Pathogen (Pre)	PATHOGE	Negative	NA
MS-010-S	Standard Plate Count	MCB-29	12400	CFU/g

Sample Comments:

Reviewed and Approved by:

Bn 7/26/05

Bonnie Marteddu
 Manager, Microbiology Department,
 Southern Testing